10/19/2018

| Supplier Name | Acier Ouellette Inc. Acier Ouellette Inc. | |
|---|---|------------|
| Total | \$62.08 Acier Ouell Inc. \$1,315.00 Acier Inc. | \$1,055.69 |
| Past Due | | |
| Aging Days | | |
| Price/Unit Aging Past | 10/18/2018 \$ 5.17 / ft 10/18/2018 \$ 328.75 / ft | |
| Receive Date | 10/18/2018 \$ 5.17 / ft | |
| Status | Stock | |
| Container | S119705 | |
| Received Accounting Container Quantity Job No No | | |
| Received | | 16 |
| Due Date | 12 10/9/2018 F | |
| Order | 2 4 | 16 |
| Equipment Order ID Qty | | Total: |
| | | |
| For Part No | | |
| Por Description Part Project | 17-4 SS Round Bar .375"": 17- 4 PH / S17400 / TYPE 630 SS FOUND BAR PER AMS 5643/ ASTM A564 GRAIN MUST BE ALONG LENGTH OF BAR MINIMUM VIELD TENSILE STRENGTH = 100 KSI MINIMUM ULTIMATE TENSILE STRENGTH = 1150 KSI receive ft 3.500"" X 3.500"" X 3.500"" X 3.500"" X 3.500"" X 3.500" X | |
| Purchased Item | ### 17-4-R0.375 17-4-R0.375 | |
| Germs | Net 30 | |
| Rel | - | |
| Line Item No | 4 | |
| Supplier Item No No No | P0041171 ACI001-VC | |
| PO No | P0041171 | |

Plex 10/19/2018 9:07 AM dart. Tollis. Andrew



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON **K6A 1K7** Canada

Tel (613) 632-5200

PURCHASE ORDER PO041171

Supplier: ACI001-VC

Ship To:

Acier Ouellette Inc. 935 Boul. Du Havre Valleyfield

QC

J6S 5L1 Canada

Phone: 800 667 4248 Fax: 450 377 5696

1270 Aberdeen Street

Hawkesbury ON

K6A 1K7 Canada Phone: 613-632-5200

PO No: PO Date: PO041171 9/27/18

Due Date:

10/11/18

Purchase Order Revision:

Revision Date:

Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Via:

Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments: QUOTE NO. SOU0134446

| Line Item | | Part | Supplier Part No | Description | Status | Account | Due Date | | Received Quantity | Balance | Unit Price (CAD) | Extended Price |
|--------------|-----|------------------|---------------------|-------------------------|----------|---------|-------------|-------|----------------------|---------|---------------------|-------------------|
| 1 | | M17-4-R0.375 | | 17-4 SS Round Bar .375" | Firmed | - | 10/15/18 | | - | | | |
| 21 | | | - | : 17-4 PH / S17400 / | | | 1 4 | / | 1. (1 | | | |
| MI | | | 1 | TYPE 630 SS ROUND | | - | | 1 | 124 | Δ | 1 18/10/ | VU. |
| | | 1 | | BAR PER AMS 5643/ | | | | | | 1 | 1 (0)(0) | |
| | | | | ASTM A564 GRAIN | | | - | | | : | | |
| . + | | | - | MUST BE ALONG | 1 | | | | | | 3 | |
| , | | | . 3 | LENGTH OF BAR | | | | | | | | 1 |
| | | 2 | | MINIMUM YIELD | i | | | | | | | |
| | | | | TENSILE STRENGTH = | 5 | | 1. | | | | *. | * |
| | | | | 100 KSI MINIMUM | | | | | | | | |
| 1 | | | | ULTIMATE TENSILE | | | | | | | | |
| 3 | | - | , , | STRENGTH = 150 KSI | | | | | | | | |
| į | | | | receive ft | | | 17 | | | | | |
| 2/ | | M303R0.500 | | 303 Round Bar 0.500" | Firmed | | 10/4/18 | 24 ft | 0 ft | 24 ft | \$2.3408/ft | ØF0.40 |
| 6 | | | | : MATERIAL: AISI 303 SS | i iiiieu | | 10/4/10 | 24 19 | 2.112 | | | |
| 11 | | | | ROUND BAR AS PER | | | | V | 24.17 | , | Al 18/10/ | |
| | | | | ASTM A582 | 1 | | * . | | | | 16.10/19/ | 04 |
| 1 | | 2. | | NOTE:304/316 NOT | | | , | | | | | |
| 1 | .] | | 1 | ACCEPTABLE | | | | | ì | | 1 | |
| - } | | | | receive ft | | | | 1 | - | | | |
| 3 | | M303R0,750 | | | | | | | | | | |
| 3 | | W303R0.750 | 1 | 303 Round Bar 0.750 | Firmed | - | 10/4/18 | 36 ft | 0 ft | 36 ft | \$5.406388/ft | \$194.63 |
| 100 | - 1 | | | : MATERIAL: AISI 303 SS | | | | | 36.25 | | Not 100 " | |
| Be | | | | ROUND BAR AS PER | | | | / | | , | AT 18/10/ | 64 |
| - | 1 | | - 1 | ASTM A582 | - 1 | | | | -1 | | | - / |
| - 1 | | | | NOTE:304/316 NOT | | : - | - | | . ! | | | |
| - | | | | ACCEPTABLE | | - 1 | i | | | | | |
| | | | | receive ft | | | - 1 | | | | | |
| 4 | | M303B1.500X3.500 | | 303 Bar 1.500" X 3.500" | Firmed | | 10/15/18 | 4 ft | 0 ft | 4 ft | \$328.75/ft | \$1,315,00 |
| 1 | . 1 | | | : MATERIAL: AISI 303 SS | | | | | | | , | |
| Al | 1 | | | BAR AS PER ASTM A582 | | | | / | 44 | 1 | A/18/1 | |
| " | | | | NOTE: AISI 304/316 NOT | | | | | 1 | | H1 19/1 | 1/19 |
| | | | | ACCEPTABLE | | | | | į | | | |
| 1 | | | | receive ft | | 1 | 1 | i | i | | | |



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

Tel (613) 632-5200

PURCHASE ORDER PO041171

| ne . | | C | | Items | | | 1 | | | | |
|---|--|------------------------------------|---|----------|---------|-------------|----------------|----------------------|-------|---------------------|-------------------|
| m Jo | b Part | Supplier Part No | Description | Status | Account | Due Date | Order Quantity | Received Quantity | | Unit Price (CAD) | Extended Price |
| 1. | M6061T6B1.000X06.000 | | 6061T6 Bar 1.00 X 6.00 | Firmed | - | 10/4/18 | 36 ft | - 0 ft | 36 ft | \$28.1925/ft | \$1.014.9 |
| 1 | | | : MATERIAL: 6061- | | | | / | 36St | | | |
| | 1 | | T6/T651/T6510/T6511/T62 | | | | . / | 262 | 1 | 1.18/10/0 | 1. |
| 1. | | | ALUMINUM BAR PER | | | | | | | | ľ. |
| | ners of the second seco | , | QQ-A-225/8 OR AMS-QQ- | | - | | | | | 4- | |
| | | | A-225/8 OR AMS 4117/4128/4115/4116 OR | | | | | | | , 1 | |
| | | | QQ-A-200/8 OR AMS-QQ- | 1 | | | | | | | 1.0 |
| | | | A-200/8 OR AMS 4160 | | | | | | • | | |
| | | | OR ASTM B211 OR | | , | | 1 | | | | 1 |
| | | | ASTM B221 | | | | | | | | |
| 1. | | | receive ft | | | | | | | | |
| 1 | M6061T6B2.500X01.500 | which beautiful propagate in party | 6061-T6 Bar 2.50 X 1.50 | Firmed | | 40/4/40 | 40.0 | 0.0 | 40.0 | | |
| | | 2 | : MATERIAL: 6061- | rimeu | | 10/4/18 | 12 ft | | 12 ft | \$17.1595/ft | \$205.9 |
| | | | T6/T651/T6510/T6511/T62 | | | | . / | 124 | | 101 | , |
| 1 | | | ALUMINUM BAR PER | | | | | | 9 | 18/10/ | 34 |
| | | 1 | QQ-A-225/8 OR AMS-QQ- | | | | | | | | |
| | | | A-225/8 OR AMS | | | | | | | | |
| 900 | n parameter | | 4117/4128/4115/4116 OR | | | | | | | | |
| | | | QQ-A-200/8 OR AMS-QQ- | | | ٠ | | : | | .] | |
| | | | A-200/8 OR AMS 4160 | | | | | | | | |
| | and the state of t | | OR ASTM B211 OR | | | | | 9 | | . | |
| - | | | ASTM B221 | - | | * : | | İ | | - 1 | |
| | - | | receive ft | | | | | | | | |
| 1 | M6061T6B2.000X02.000 | 2 | | Firmed | - | 10/4/18 | 12 ft | 0 ft | 12 ft | \$17.8658/ft | \$214.39 |
| | | - 1 | : MATERIAL: 6061- | | | | / | 15 81 | | | |
| 1 | | | T6/T651/T6510/T6511/T62 | | | | 4. | 12 ft | A | 1 13/10 | 04 |
| | | | ALUMINUM BAR PER | | | | | | | . 1 | |
| | | | QQ-A-225/8 OR AMS-QQ- | | | | | | | | |
| - | | | A-225/8 OR AMS | Í | | | | | | | |
| Di de | | | 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ- | | | | | | | | |
| | 9 | | A-200/8 OR AMS 4160 | | | | | | | | 7 . |
| | | | OR ASTM B211 OR | - | | l | | | | | |
| | | | ASTM B221 | | 4 | 1 | | İ | | | |
| 1 . | | | receive ft | - 1 | 4 | | | | | | |
| 1 | M1018R2.500 | | | Firmed | | 10/4/18 | 40.0 | | 40.0 | | |
| 1. | W101012.300 | | MATERIAL: AISI 1018- | rimea | - | 10/4/18 | 10 ft | n O ft | 10 ft | \$21.521/ft | \$215.21 |
| 1 | x | | 1025 ROUND BAR | | | 0.21 | | 10-50 | . / | H 18/10 | 1.1 |
| 1. | | | M1010S20GA AS PER | | . | | | | 4 | 11 10/10 | 104 |
| | | | VIL-S-7097 OR ASTM | | 1 | 1 | | | | | |
| | | 2 | A108 | | | | | | | | |
| | | - 1 | - 1 | | | 1.1 | 4 | | - | | |
| 1 | MT-4140QT-R1.750 | 7 | AISI 4140 Quenched | Firmed - | 12 | 10/15/18 | 40.6 | 0.4 | 40.0 | 007.0400/0 | |
| | THE COLUMN TO TH | | RTempered Steel Round | rimeu - | | 10/15/16 | 12 ft | 0 ft | 12 π | \$27.9166/ft | \$335.00 |
| (| | | Bar 1.750" Dia. | | | - | / | 124 | | A 18/10 | 111 |
| 1 | 1. | | AISI 4140 Q&T Round | | | | - | 1 2 | . 4 | 71.00/10 | 16 |
| - | - 1 | | Bar | | | | 1 | ĺ | | | |
| | | | MAT'L: AISI 4130 | 1. | | | | | | | |
| 1 | | | QUENCHED & | - | - | | , | | | | |
| | | | EMPERED ROUND BAR | 100 | | | | | | - 1 | + |
| 4 4 | | | AS PER | Ì | | | 9 | ĺ | | | + |
| | | | ASTM 4140 QT OR ASTM | | - | - 1 | 3 | | | *** | |
| - | | | 142 QT | | į | | | 1 | | | |
| 1. | 1 | 1 | | 1 | | - | | | | 1 | |
| 1 | | | | 3 | È | 3 | | | 1 | 1 | 6.0 |



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

Tel (613) 632-5200

PURCHASE ORDER PO041171

| Item Job Part Part No Description Status Account Date Quantity Quantity Balance Price (CAD) Price | | 0 | 9 3 3 | | Items | | | | | |
|--|--------------|---|-------|---|--------|---------|---------|----|--|-------------------|
| 10 MT-HRS-R-5.000 Hot Rolled Steel Round Firmed - 10/4/18 4 ft 0 ft 4 ft \$83.8275/ft \$335.3 ASTHAGO HOT ROLLED STEEL HOT ROLLED STEEL | Line Item | | | | Status | Account | * * | | | Extended Price |
| | 10 | | | Bar 5.000" Dia. : MATERIAL: HOT ROLLED STEEL ROUND BAR ASTM A36 OR ASTM A1011 OR 44W OR ASTM | Firmed | - | 10/4/18 | 1. | | |

Order Notes

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Plex 9/27/18 1:25 PM dart.lavoie.chantal



ACIER OUELLETTE INC.

935, Boul. du Hâvre

Salaberry de Valleyfield (Québec) J6S 5L1

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Quotation

SOU0134446

Billed to

DART AEROSPACE LTD

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

Shipped to

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

Att: CHANTAL LAVOIE Tél.: 613-632-5200

Customer N°

CLI0001056

Date

2018/09/21

Revision Nº

0

Prices valid until

2018/09/28

Your Order No

Processed by

Denis Quenneville

Salesman

STEPHANIE

Carrier

OUELLE SDV

Credit Terms

Net 30 Days

Page

1

| Product N° and description | Weight | Qty | U/M | Qty | U/M | Price | Pcs Nb | Price | Amoun |
|---|--------|--------|-----------|--------|---------|-------|--------------|--------------------|----------|
| ROUND SS 3/8 17-4PH RANDOM NS RSS-38174PH 9168 1 X 12' R/L 7-10 DAYS | 4.51 | 12.00 | PI_\$CLB | 12.00 | PI | | 1.00 5.17 | 62.080 33 \$ | 62.08 |
| ROND STAINLESS 1 1/2 17-4 RANDOM NS RSS-112174-V 8868 1 X 12' R/L COND. H1150 7-10 DAYS | 71.15 | 12.00 | PI_\$CLB | 12.00. | JN_\$UN | - | 1.00 | 886.470 | 886.47 |
| ROUND SS 2 17-4 NS RSS-2174 10131 XX 12' R/L COND. H1150 7-10 DAYS | 128.16 | 12.00 | PI_\$CLB | 12.00. | JN_\$UN | | 1.00 | 1 299.480 | 1 299.48 |
| ROUND SS 2 17-4 NS RSS-2174 10131 2X 12' R/L COND. H900 7-10 DAYS | 256.32 | 24.00 | PI_\$CLB | 24.00 | JN_\$UN | | 2.00 | 1 640.385 | 3 280.77 |
| FLAT BAR SS 17-4 PH ASTM A564-1-1/4 X 2 N 1 X-12 R/L 7-10 DAYS | 0.00 | 1.00 | UN | 1.00 | UN | | 1.00 | 1 175.000 | 1 175.00 |
| SHEET SS 18G SS304-2B (4 X 8) FESS-18G483042B 3425 4-X 4' X 8' STOCK | 268.80 | 128.00 | PI2_\$CLB | 4.00 | UN | | 4.00 | 243.902 | 975.61 |
| SKID (4 X 8) SK-48 10048 | 0.00 | 1.00 | UN_\$UN | 1.00 | IN_\$UN | 40.00 | | | 40.00 |
| SK-48 10048 FLAT SS 1/2 X 2 1/2 SS304 (R) FSS-12212 8302 1 X 12' R/L STOCK | 51.48 | 12.00 | PI_\$CLB | 12.00 | PI | | 1.00 | 186.850 5708 \$ | 186.85 |
| ROUND SS 1/2 303 (R) RSS-12303 5727 2 X 12' R/L STOCK | 16.01 | 24.00 | PI_\$CLB | 24.00 | PI | * | 2.00 | 28.090 3408 | 56.18 |
| ROUND SS 3/4 303 (R) RSS-34303 5761 3 X 12' R/L STOCK | 54.07 | 36.00 | PI_\$CLB | 36.00 | PI | | 3.00 | 64.876 | 194.63 |

D-3833-+

Date:

Next Page...



ACIER OUELLETTE INC.

935, Boul. du Hâvre

Salaberry de Valleyfield (Québec) J6S 5L1

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Quotation

SOU0134446

Billed to

DART AEROSPACE LTD

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

Shipped to

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

Att: CHANTAL LAVOIE Tél.: 613-632-5200

Customer N°

CLI0001056

Date

2018/09/21

Revision N°

0

Prices valid until

2018/09/28

Your Order No

_

Processed by

Denis Quenneville

Salesman

STEPHANIE

Carrier

OUELLE SDV

Credit Terms

Net 30 Days

Page

2

| Product N° and description | Weight | Qty | U/M | Qty | U/M | Price | Pcs Nb | Price | Amoun |
|---|----------|-------|----------|-------|---------|--------|--------|-----------|----------|
| FLAT SS303 1-1/2 X 3-1/2 N | 0.00 | 1.00 | UN | 1.00 | UN | A | 1.00 | 1 315.000 | 1 315.00 |
| 1 X 4' 7-10 DAYS | | | | | | | 36 | 28.75 | |
| FLAT ALU 1 X 6 6061-T6 * | 253.76 | 36.00 | PI_\$CLB | 36.00 | PI | | 3.00 | 338.310 | 1 014.93 |
| FAL-16 2536 3 <i>X 12' STOCK</i> | | | | | | | 28 | . 1925\$ | |
| FLAT ALU 1 1/2 X 2 1/2 6061-T6 * | 52.87 | 12.00 | PI_\$CLB | 12.00 | PI | 1000 | 1.00 | 205.890 | 205.89 |
| FAL-112212 2439 SAW CUT SCIE 1 1 X 12' STOCK | | 1.00 | UN | 1.00 | | | 17.1 | 595\$ | |
| SQUARE ALU 2 6061-T6 * | 56,45 | 12.00 | PI_\$CLB | 12.00 | PI | | 1.00 | 214.390 | 214.39 |
| CAL-2 1785 | | | | | | | | | |
| SAW CUT SCIE 1 1 X 12' STOCK | | 1.00 | UN | 1.00 | | | 17. | 8658 | • |
| SQUARE ALU 4 1/2 6061-T6 NS | 291.60 | 12.00 | PI_\$CLB | 12.00 | JN_\$UN | | 2.00 | 1 122.585 | 2 245.17 |
| CAL-412 9957 2 X 6' 3-4 DAYS | | | | | | | | | _ |
| ROUND CR 1 3/4 1018 (R) RCR-134 5273 1 X 20' R/L STOCK | -163.60 | 20.00 | PI_\$CLB | 20,00 | PI | | 1.00 | 206.050 | 206.05 |
| ROUND CR 2 1/2 1018 (R) | 166.90 | 10.00 | PI_\$CLB | 10.00 | PI | - Ight | 1.00 | 215.210 | 215.21 |
| RCR-212 5299 SAW CUT | | 1.00 | UN | 1.00 | | | | 4 | |
| SCIE 1 1 X 10' STOCK | | 1.00 | ON | 1.00 | | | 21 | 521\$ | |
| ROUN D CR 2 1/2 1018 (R) | 333.80 | 20.00 | PI_\$CLB | 20.00 | PI | | 1.00 | 420.420 | 420.42 |
| RCR-212 5299 1 X 20' R/L STOCK 200 | 5 ap 104 | + | | | | | - 21. | 021\$ | |

Date:

Next Page...



ACIER OUELLETTE INC.

935, Boul. du Hâvre

Salaberry de Valleyfield (Québec) J6S 5L1

Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

Quotation

SOU0134446

Billed to

DART AEROSPACE LTD

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

Shipped to

1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7

Att: CHANTAL LAVOIE Tél.: 613-632-5200

Customer No

CLI0001056

Date

2018/09/21

Revision Nº

0

Prices valid until

2018/09/28

Your Order No Processed by

Denis Quenneville

Salesman

STEPHANIE

Carrier

OUELLE SDV

Credit Terms

Net 30 Days

Page

3

| Product N° and description | Weight | Qty | U/M | Qty U/M Price | Pcs Nb | Price | Amount |
|---|----------|------|----------|---------------|--------|---------|--------|
| 4140 08T 1-3/4"0 N 150.8333 | 0.00 | 1.00 | UN | 1.00 UN | 1.00 | 185.000 | 185.00 |
| 4140 Q&T 1-3/4"Ø 1 X 12' 7-10 DAYS N 27 9146 | a 1 0.00 | 1.00 | UN | 1.00 UN | 1.00 | 335.000 | 335.00 |
| ROUND TOOL STEEL 2 1/2 H13 NS RH13-212 9576 1 X 6' 7-10 DAYS | 102.00 | 6.00 | PI_\$CLB | 6.0QJN_\$UN | 1.00 | 606.900 | 606.90 |
| ROUND HR 5 * | 267.04 | 4.00 | PI_\$CLB | 4.00 PI | 1.00 | 335.310 | 335.31 |
| SAW CUT SCIE 1 1 X 4' 3-4 DAYS | | 1.00 | UN | 1.00 | 83 | .8275\$ | |
| FUEL CHARGE FRAIS_ENERGETIQUE | E | | \$ | | | | 3.95 |

Total Weight (Lbs)

2 538.52

Important

This offer is based on the availability, the price of material can change without notice in function of the evolution of the current market prices and international importation fees. This offer is subject to credit approval.

Sub-total

15 460.29

TVH-13 · · 2009.84

Approuved and Accepted by:

Date :

Total (\$CAD)

17 470.13



DELIVERY - CLIENT

CO00112384

Copy **ACIER OUELLETTE INC.** 935, Boul. du Hâvre Salaberry de Valleyfield (Québec) 16S 5L1 Tél.: 450-377-4248 Mtl: 514-336-4248 Ext.: 800-667-4248 Fax: 450-377-5696 Mtl: 514-336-4246 Ext.: 866-456-4242

| Billed to Shi | Shipped to | | Cuetomor No | 2 12 | 001010 | |
|---|---|--|--|-------------------|---|------|
| DART AEROSPACE LTD | | | Date | CLIC | CLI0001056 | |
| 1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7 | 1270 , ABERDEEN ST. HAWKESBURY, Ontario, K6A 1K7 | | Delivery date Your order N° | 207 201 800 | 2018/09/2/ 2018/10/09 PO041171 | |
| Att | Att: CHANTAL LAVOIE Tél.: 613-632-5200 | 32-5200 | Processed by Salesman | Step | Stephanie Dignard | |
| Instruction F-M De | Delivery Route 5 | | Carrier Credit Terme | OUE | OUELLETTE VALLEYFIELD Net 30 Days | IELD |
| Product Description | Weight | 2 | PCS NB | | Internal Use Only | Only |
| | | 5 | CMD EXP B/0 | NI | ISC | TUO |
| 1 ROUND SS 3/8 17-4PH RANDOM NS RSS-38174PH 9168 1 X 12' R/L AC20148-SM-2018/10/08 Heat \(274375 \) | 4.51 12 | 12.00 PI_\$CLB | | | | |
| 2 PLATE SS 1 1/2 SS303 HRAP NS PS5-112303 1 X 3-1/2" X 48" AC20148-SM-2018/10/08 Heat: \$02859 | 74.73 | 1.17 PI2_\$CLB | 128 | | | |
| Conditions: All sold and delivered materials remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All lost materials are at the buyer's expense. The warranty offered by "Acier Ouellette Inc" is the same as offered and honored by the manufacturer and his warranty is transferred by "Acier Ouellette Inc" to the client. The buyer hereby accepts to respect the following conditions; Net 30 days from billing date and the buyer accepts to pay administration charges of 2% per month (24% per annum) on all past due amounts over 30 days. Any default in respect with this contract will lead to payment by acceleration and permits to the seller, at his choice to claim for the balance due or the repossession of the goods sold. All claims must be made a 25% restocking charge. | Total Weight (Lbs): 79.24 made in full, complete and cashed. All lost materis nty is transferred by "Acier Ouellette Inc." to the concharges of 2% per month (24% per annum) or schoice to claim for the balance due or the repost or modified cannot be returned. All goods retu | als are at the buyer's experient. The buyer hereby actilent. The buyer hereby actilent and past due amounts ove session of the goods sold. | bs): 79.24 NIR: R-109516-6 I cashed. All lost materials are at the buyer's expense. The warranty offered by robellette Inc" to the client. The buyer hereby accepts to respect the nth (24% per annum) on all past due amounts over 30 days. Any default in alance due or the repossession of the goods sold. All claims must be made returned. All goods returned must be with our authorization and are subject to | | | |
| Prepared By: Delivered By: Time | Customer's Signature | | Y M D Date | | | |

Acciaierie Valbruna s.p.A.

m105149 LA52074

36100 VICENZA (IIalia) - Visto dello scienza, 26 z.i. Talefono 0444,988211 - Fac 0444,993836 Stab.: 39100 BOLZANO (Iinia) - Vis A. Volto, 4/37 Tolefono 0471,924111 - Fax 0471,924497

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

630

V174

In conformità a: EN 10204 (2004) , 3.1 / ISO 10474 (2013) , 3.1

Ceruficato nr. MEST213476 / 2018 /

ACCIAIERIE VALBRUNA S.P.A.

Cliente / Bestellen Putchasen Chan VALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST 46801 - FORT WAYNE, IN 46801 - US

Stalo di fomiliura :

Hot rolled - COND, A Centerless Ground

Produltore

Tipo di Elaboraziono: E+AOD

Erszheistrungsaft Melling process Made il debeneter

Merchi di Fabbrica: Zeithan das Liefemenkes Trade medes Bejlet de fvene preducirice

Ordine nr. 56970 STOCK POMPTON Your order Commands Conferme ordine nr. El17013409

WethsterkGraden

Punzone del Collaudetare

MR

Avviso di Spedizione: D-VI18008998

Marca: Martenbazelchnung Brand/Nuence

Punzonatura: 630

SPECIFICHE :

Avise shoungen / history / Melley

VSI 2 630 A AISI 630

AMS 2303 F

AMS 5643 V S17400 A AMS-H-8875 B NOVEMBER 2010 ASME SA564 2015 S17400 A (0)

(0) SECTION II PT,A 2015 EDITION

ASTM A370 2017 . ASTM A564 2013 S17400 A

| Pos. nr. | 0 | Tollerenze: ASTM A484-18 TABLE 7 | | | | | |
|----------|--|----------------------------------|----------------|-----------------------------------|-------------------------|-----------|-----------|
| FIR AL. | Oggetto Germani Februaria Const. Screen | Dimensioni - In | Lunghozze - In | Coleta estrope page Code | Pezzi Imrusi Pers | Peso - LB | LOBO NF. |
| 0040 | Round | 0,3750 | 144/ 148 | 274375 | | 1.997 | 712912330 |

| | | on dally | ery con | dison Pruelun | g auf lieferbard | T ALLO STA | test a ferat | da fourniture | Prusbas | obra el mate | nal as | i ssme | entraga | rio | |
|------|--|-----------------|--|--|--|--|----------------------|-----------------------------------|-------------------|--|--------|--|------------|-----|--|
| TEST | Providing Francisco Spectros/Enteredo Logidore Garra, Essis Desc Dato High Claim Frechness Logidores Agents Logidores Agents | °F | Posts, deggio heaven lucian lucian | Snervamento Improve Valence Unas portes | Sperva mento santigrano trada dana trada dana trada dana | Rosistenza Jaylutpus Tentu virgo Resident a residen | Aliung But Pro | amonto anvaj ujina press | Electi As dark | iona iong iona iona iona iona iona iona iona iona | | Resilier Federalesa Input Yol Residence | neit id | | Durozza Harra Harra Harra HB |
| - | ri richiesti | richiesti min - | | - | * | | • | | • | * * | | • | • | | 363 |

| Testo | TEST ALLO S' m delivery contrition / Pruefung auf Kolerboratein produkt | TATO DI FORNITURA | ntern (a nying arin | edal ari maria antis antis |
|-------|--|-------------------|---------------------|----------------------------|
| TEST | | min | max | and and stand displaying |
| | Delta Ferrite Grain size for ASTM E112 | | 5,0 | 1,4 % |
| | RATINGS FREQUENCY RATINGS SEVERITY | | 1,10 | 0,28 |

Vicenza, 06/03/18 VCQ008 - MEST213478 (Med MCE2)

il colleudatore di sisbilimento i dei Werkasschweistandige / Works Inspector / L'agent d'usine
M.RIZZOTT / Likilik

Pagina - 1 di 3

heat: 274375

.375" x 12'RANDOM BAR SRB 17-4

Date:10/12/18



Acciaierie Valbruna s.p.A.

36100 VICENZA (IIBES) - VILLE della sciènza, 26 z.l. Telefone 0444.08211 - Fax 0444.903838 Stab.: 39100 BCLZANO (Italia) - VILLA Volla, 4/37 Telefono 0471.024111 - Fax 0471.924407

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

in conformilia a: EN 10204 (2004) , 3.1 / ISO 10474 (2013) , 3.1

Certificato nr. MEST213476 / 2018 /

VALBRUNA STAINLESS INC 2400 TAYLOR STREET WEST 45801 - FORT WAYNE, IN 46801 - US

Slate di femitura

Hot rolled - COND A Centerless

Produttore :

ACCIAIERIE VALBRUNA S.P.A.

Ordine or: 56970 STOCK POMPTON Bestill Your erdet Commence

Emchantivagran Maling angents Made Chicharmian Conferma ordine nr. El17013409 Quelilă; WadcitoRiffreduk

Tipo di Elaborazione: E+AOD

630

Zeichan das Liefernverbes Yrada merks Biglas da filstro productica Punzone del Cellaudelore:

Marchi di Febbrica:

Avviso di Spedizione; Lietrantega Pating 1109,L

D-VI18008998

Marca:

V174

Punzonalura: 630

| | | | | | | | | Sample | cond. H90 | 10 | | | | | - |
|---|--|--|----|--|--|--|--|---|---|-------------------------|---|--|--|----------------|----------------|
| Tipo Trans Westerless Menting Trans Internet Trans | Personal Per | Temperatura firmpratura formesias formesias | 1 | Hreddami Alaustung Goaler Address von | Haka daya Barasangan internasion | Proposed in the P | damento compression compressio | Temperatura Imparia Impariar Importer | Ralfreddan Alberty Septe Malestere | | Permanenza Headura Paranensa Marrias | Tipo Trattante 110 Westerbelanding Intel Frontiers Integrate Technique | Firtherity Timperitys | Ratfreddamenio | Palemen |
| Provoter : | El Prissus | _ | 94 | Snervement | Tobasersalist | Q-1 se | CQ-] angune guntar gantier | | | | forquestors | Returned op among | - Status | | |
| Specimens | | on Spose See, Dicks R. Falcanges | °F | Sign | Paletters Linds designs Rp 0,2% | Sintropy Santyan Yell East Into their | 1 | Resistenza Topodela T | Allunga Backdo Elmp Allenga | along Simp Health | , | ilitzione hudoleus fortie (fare) Restus | Rexident voluntes man value final value | | U/BZZS No.4 |
| Valo | ri richle | 911 | m | 10 | 170 | - | - | a e k | | E 4 | | RA | | | HB |
| Anneura Vita | garaffing group to distance in | Personal Property Control of the Con | m | | 170 | - | | 190 | - | 10 | | 40 | | - | |
| В | | | 18 | L | 189 | | + | | | | | | | 1 | 388 444 |
| echani | cal no | anadia- | | | to ASTM A | | _ | 200 | 1 | 17 | | 61 | 1 1 | - | 177 |

Daite Ferrite according to AMS 2315.

| Saleta Atesi | tion . | | | | Chair | Ar | nalist o | chimic | a | | | | | - | _ |
|-----------------------------------|-----------|----------------|--------------|-------|--------------|------|----------|------------|-----------------|-------|--------------|--------|---|----|---|
| Innest Carlo | 780 9810 | 1,00 | 1.00 | 16,00 | 0,540 | 3,00 | 3,00 | - Analysis | Analysa ciumiye | | | - | | 1. | - |
| 274375 | 0.031 | 0,42 | Mn % 0,64 | Cr % | Mo % 0.27 | Cu % | NI% | Co % | P% | S % | N % | Ta % | | | + |
| Coloro Most Sentralization des | Men 0,150 | | 6,71 | - | | | 4,61 | 0,071 | 0.025 | 0,001 | 0.034 | 0,0004 | | | |
| 274375 | | 6+Ta% 0,276 | | Cb(Nb | | | | | | | | | + | | |

Ultrasonic volumetric test according to ASTM A388 pass.
Micro and macro etch test: satisfactory.
Produced without class I-II Ozone depleting substances.
Macroetch test per ASTM E340: acceptable.
Furnace calibrated according to AMS-H-6876.
Pyrometry in accordance with AMS2750.
Reduction ratio = 412.7:1
Material solution annealed 1905° F for 1h,
air cooled to below 90° F.
Material is DFARS Compilant

Sono stato soddistatte totte la condizioni richieste Some seem spokensomen and engine out the definition of the self-remains a region of the self-remains of th

Controllo entimescolanza: OK Association and the real of the control of the cont

Controllo visivo a stimbustiousle, accidente le estgenze fiviantiality de Americane, mue de seratoriale trachité service and compressor describent au élector Constitution service de circum set à salctional.

Vicenza, 06/03/18 VC0008 - MESTZ13478 (Mod. MCE2)

ri collaudatoro di affabilimento i der Warkasachiverratingana i Works inspector i L'agent d'usine M.RIZZOTTOLKLINK

Pagina - 2 di 3

Date:10/12/18



Acciaierie Valbruna S.P.A.

28100 VICENZA (1188) - Visito della scienza, 26 z.l. Talefano 0444.888211 - Fax 0444.963838 Sleb.: 39100 BOLZAMO (1888) - Viz A. Volta, 4/37 Telefono 0471.924111 - Fax 0471.924497

CERTIFICATO DI COLLAUDO - ABNAHMEPRUEFZEUGNIS - INSPECTION CERTIFICATE - CERTIFICAT DE RECEPTION

In conformilitie: EN 10204 (2004), 3.1 / ISO 10474 (2013), 3.1

Certificato nr. MEST213476 / 2018 /

VALBRUNA STAINLESS INC. 2400 TAYLOR STREET WEST 46801 - FORT WAYNE, IN 46801 - US

State of femiliars :

Hot rolled - COND. A Centerless Ground

Produttore:

ACCIAIERIE VALBRUNA S.P.A.

Ordine nr. 66970 STOCK POMPTON

Tipo di Elaboraziono: E+AOD

Westerburgen by Westerburg

Qualità:

630

Zeithen des Leismertes Trede mede Byjne de fictive production Punzone del Collaudatore: Blomps des Westerschreitenangen Inspector's starmiformen de Lexicone

Marchi di Fabbrica:

MR

Punzonature: 630

Conferms ordine nr: El17013409

Worke/Our Order/Ret pr Avviso di Spedizione: D-VI18008998

Marca:

V174 No drampacolab Mend I Hygony

Method and manufactured in Italy

No welding or weld repair Material free from Mercury contamination

We disclare that the finished product is checked for redisactive consonvation through Portal System when it leaves the production plant

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER ACCORDING TO ISO 8001: 2008, IATF 16949; 2016, AS 9109C

The Quality Monagement System is Cartified acc. Pressure Equipment Directive 197/23/ECT Annex 1,4,4.3 and 2014/68/EU by TUEV and LLOYD'S Any act of tempering, modification, alternation, countertaking and/or foliacceon and/or any other action which stocking the contents of bigs test certificate shall constitute a violation of applicable child and extinent laws. Accidate Vashune shall project its rights and interests before any competent court, authority and juriodiction. Maxival and/or Volptus grades/products are manufactured with tadia techniques to control composition, distribution, size and shape of non-metallic inclusions for improved

The supplied product conforms to requirements appressly requested by the purchaser and conforms to requirements apocified by certified norms and standards. Should the product be used for more severe, critical and/or in any case different applications than those the motional is generally intended for, any different and/or supplications than those the motional is generally intended for, any different and/or supplications of the conformation of the product by the Purchaser, Accidence Vatorina SpA shall not be responsible for any improper use of the

VCQ008 - MEST213478 (Mod. AICES) --- Il colleudstore di stabilimente i der Werksverinkodige I Worke Inspector I L'agent d'us ine
M.RIZZOTT GURLINAR

Pagina - 3 dl 3

Vicenza, 06/03/18

SPECIFICATION CONTROL DRAWING

c

9

00

Ω

O

PURCHASE MATERIAL (17.4 PH / S17400 / TYPE 630 SS ROUND BAR SPAM MUST BE ALONG LENGTH OF BAR MINIMUM YIELD STRENGTH PER TABLE MINIMUM ULTIMATE STRENGTH PER TABLE 0

۵

SPECIFICATION:

PART NUMBER:

<<

AMS 5643 OR ASTM A564

M17-4 HHHHH- R XXXX WHERE: HHHHH SPECIFIES THE MATERIAL CONDITION (PER TABLE BELOW)

0

O

MATERIAL CONDITION TABLE:

| IMATE SILE TH (KSI) | 0 | 0 | | | | 0 | 2 | |
|---|---------------------------------|------|------|-------|-------|-------|-------|--|
| MIN ULTIMATE TENSILE STRENGTH (KSI) | 150 | 190 | 171 | 15 | 145 | 14 | 135 | |
| MIN VIELD TENSILE STRENGTH (KSI) | 100 | 170 | 155 | 145 | 125 | 115 | 105 | And the second s |
| CONDITION | (CONDITION A NOT ACCEPTABLE) | 006Н | H925 | H1025 | H1075 | H1100 | H1150 | (SOLUTION TREATED) |
| CODE | (OMITTED) | H900 | H925 | H1025 | H1075 | H1100 | H1150 | CONDA |

NOTES: MATERIAL IN H900 AND H925 CONDITION NOT RECOMMENDED FOR TENSION OR SHEAR APPLICATIONS IN COLD WEATHER CONDITIONS

MATERIAL IN H800 AND H925 CONDITION NOT RECOMMENDED FOR APPLICATIONS WHERE STRESS CORROSION CRACKING IS POSSIBLE

CONDITION A NOT TO BE USED IN DESIGN FOR FINAL PRODUCT AND SHOULD ALWAYS BE HEAT TREATED

PART NUMBER M174-R4.000 M174-H900-R2.500 M174-H1025-R3.250 M1774-CONDA-R0.750 PART 4.00° DAMETER BAR MIN UTS = 150 KSI, MIN YTS = 100 KST 2.50° DIAMETER BAR H900 CONDITION 3.26° DIAMETER BAR H1025 CONDITION 0.750° DIAMETER BAR A CONDITION

SCALE REV. C NTS SHEET 1 OF 1 05 03 16 DATE NO 17.09.14 10.05.20 DART AEROSPACE LTD RICHT D 2005 BY DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. M17-4-R 8 CP (A) 17-4 SS ROUND BAR C ADDED MATERIAL CONDITION (CIRT7-107)
REFORMAT DWG, S17400/TYPE 630 ADDED TO
PUECHASE MATERIAL (ZN DS-1), ADD AS84 SPEC (C8-1),
REF PAR 69-4/20A SCRIPTION TITLE 8 8 8 8 8 17.09.14 APPROVED MFG. APPR. CHECKED DE APPR. DRAWN DESIGN DATE **GEVORAGA**

360

ELNI7-728

THE SERVICE 1 2017 -10-31

EXAMPLES: 0

SS

MATERIAL RECEIPT INSPECTION FORM

| MATERIAL: M17 | | 1.375 | | PO / BATCH | NO .: 8004 | 1171/5119 |
|---|-----------------------|-------------------|----------------|---|------------|------------------|
| MATERIAL CERT REC'D: /cs QUANTITY RECEIVED: 1247 QUANTITY INSPECTED: 1247 | - | | TH SH | IICKNESS ORDEI ICKNESS RECEI EET SIZE ORDEI EET SIZE RECEI | VED: O | .375'' .375'' |
| | | | | | | |
| DESCRIPTION | NCR (Check Y/N) | | | COMMENT | rs | |
| SURFACE DAMAGE | YN | | | | | |
| CORRECT FINISH | WN | | | | | |
| CORROSION | Y (N) | | | | 2 | |
| CORRECT GRAIN DIRECTION | (Ý) N | | | | | |
| CORRECT MATERIAL PER M-DRAWING | N (Y) | AMS | 5643 | | 1 | |
| CORRECT THICKNESS | N | | | | | |
| PHOTO REQUIRED | Y(N) | | | | | |
| CORRECT REF # TO LINK CERT | (X) M | M7: | 274375 | | | |
| CORRECT MATERIAL IDENTFICATION | | | | | | |
| CORRECT M# ON THE MATERIAL | Y) N | | | | | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | YN | | | | | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | YR | | | | | |
| | | | | | | |
| CUT SAMPLE PIEC | | | ND PREFO | | SS CHECK. | |
| | | HRC | HRB | DUR A | DUR D | WEBSTER |
| TYPE OF MATERIAL | | | | | | |
| SIZE OF TEST SAMPLE | | | | | | |
| HARDNESS / DUROMETER READI | NG | | | | | |
| | testers | <u>located in</u> | the Quality Of | <u>fice</u> | | |
| QC 18 INSPECTION | | | | ENGINEER | ING SIGNO | FF (if required) |
| INSPECTED BY: | | | SIG | GNED OFF BY: | | |
| DATE: /8/10// | 3 | | | DATE: | | |
| | | | | | | |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

STNLS PLATE SPLM 303 1.5" x 3-1/2" x 48"

sij' acroni

Izdajatet Certifikato: Originator of Inspection Document; Aussieter der Bescheinigung: SIJ ACROMI, d.o.o. KRT-KAKOVOST Casta Borina Kidriča 44 S! -- 4270 Jesanica Slovania, EU Yel: +386 4 584 10 16 Fax: +386 4 584 10 71 E-Mail: <u>speed koner@acrael.ar</u> W. <u>bilo://www.brzopi.si</u>

Prevzemni certifikat 3.1 / Inspection Certificate 3.1 / Abnahmeprüzeugnis 3.1 Page 173 A4289 PENN STAINLESS PRODUCTS 190 KELLY ROAD St. dokumente / Document No. / Bescheinigungs Nr. PA18951 QUAKERTOWN 10073155-20014470-50671 z / daled / yom 24.11.2017 UNITED STATES Kupčeva št. naročila / Purchaser's order No. / Kundenbestell Nr. Protrusjalčevo šl. narobia / Manufacturar's works order No. / Warksauftrag Nr. 20014470 z/datad / vom 04.10.2017 POZ9150 SL Dobavnega lista / Packing list No. / Lielerschein Nr. 04.10.2017 Kupčeve St. Izdeika / Purchaser Article No. / Artikel Nr. des Kunden 10073155 z / dated / vom 24.11.2017 St Računa / Account No. / Konkyrummer Datum tzdaje / Oste of Issue / Ausgebedatum 1720101025146

10073155-20014470-50671

DEBELA PLOCEVINA Y HOT ROLLED PLATE / WARMGEWALZTES GROBBLECH Oznaka jekla / Steel designation / Stabilivereichnung A5TH A582/A582M-12 550500 303 ASTR A895-1989(Z009) 530300 303 EN 10088-2:2014 HOT ROLLED STAINLESS STEEL ASME SA 240 TP 303 Specificacije hupca / Customer specification No. / Kundenspezifikation Doctaine zahleve / Suplementary requirements / Zurätzliche anforderung Dobinno stanje / Product delivery condition / Lieferzustand das Erzaugniksas TOPILNO ŽARJENO, LUŽENO / SOLUTION ANNEALED, PICKLED / LÖSUNGSGEGLÜHT, GEBEIZY Stanje površine i Surface (mish i Oberflächenbehandlung ASTM FinishiNo, 1 - on both sides EN Surface:1D - on both sides Popravljanje z varjenjem ni dovotjeno / ito weld repair / Keine Schweißreparatur

| Znak profizvajnica Manufacturer's merk Zelchen des Herstellers | Oznaka jekle Stael designation Stahlbezeichnung | St. ploste Plate No. Titlel Nr | Heat No. | Dimenzije izdelka Product dimensions Abmessungen des Erzegniss | Stamp of the works inspector | Zig prevzemalca Slamp of the insendron representative |
|--|---|--------------------------------------|----------|---|------------------------------|--|
| SULACRONI | | | | | (8) | |

| Pas Jem Pas. | 6t Sarže Heat No Schmelzen Nr | St. ploščo Plate No. Talet Nr. | Yeoretične isla Mass Masse | Teža neto Actuel mass tot Messe | Olimenzije Izdefile Product dimension Muße des Erzeugnises | No. of places | St yzorca |
|--------------------|-------------------------------------|--------------------------------------|----------------------------------|---------------------------------------|--|---------------|------------|
| | 1 | | (%g) | (Rg) | (incls) | | |
| | 302859) | 1752827601 | 3067.66 | 3067.66 | 1.500 /78.00 /200.00 | 1 | 1732027601 |

Način izdalave jakla / Steatmaking process / Stahthersteitungsverfahran | E + VOD

SU ACRONIdo o. Certe Borna (Iddict. 44 Barra Avendou vobletionde / Works (reparier / Yes haustvantensigen) Or. Generil Kosec



Reat: 302859

sij acroni

indejeinij Certifiuste: Originator of inspection Document Ausstatie der Bescheinigung:

10075155-20014470-50671

SU ACROM, d.e.o. ICRT-KAKOVOST Cesia Barisa Kidriča 44 SI - 1270 Jesunica Siovenia, EU

Tel: +388 4 584 10 16 Fix; +386 4 584 10 71 E-Met speriod beservation of st W: http://www.acoopy.id

Page 2/3

Pogoji toplotne obdelave / Heat trestment details / Wārmebehandlung Details HEAT TREATMENT: SOLUTION ANNEALED AT min. 1925°F WATER QUENCHED Lot Numbers: 1732827501

| 91. sørte Hest Ng. Schmelzen Nr. | St.vzore Sæmple Proče N | No. | San | er vzorca hiple orlen ben tage | ntation | Meja piasi Yield or pr strength Streck- ed Dehngren: (KSI) | octoes ler | Tensile str. | J Mechanisch Zg. meja plestičnosti Upper Yield strenght Obere Strackgrenze (KSI) | Reduction of | Razieza | sk ion | nip di e | Razmerje Ratio Baziahung | Troots Hardness HBris |
|--|-------------------------------|-----|-----|--------------------------------------|--------------|---|---------------|--------------------------|--|--------------|---------|-----------|----------|--------------------------------|-----------------------------|
| ableve | | | TA | L T/B | 1/2; 1/4; \$ | 2 Rp0.2 | Rp1,0 | Rm | Reh | Z | A5 | A50 | A80 | Ro/Rm | HBW |
| Requirements | | MIN | | | | 27.56 | 35.36 | 72.52 | | | 35.0 | | | | 71211 |
| intering | | MAX | | | | | | *** | | 1.0 | | | | | 4 |
| | | | | | | | | 101.55 | | | 4- | | | | 202 |
| 802859 | 175283 | | T | | | 34.25 | 59,74 | 76.61 3- Noga / Botto | | 63 | 55.0 | | | | 146 |

| ISTE POSE | HALL CHEINS | en Compositio | n4 Chemisch | e Zusammeni | etzung | 1 | | 3 | | |
|-----------|-----------------|---------------|-------------|-------------|--------|-------|-----|------|----------|--|
| | No./ Schanetzen | Nr. | | 302 | 859 | | | | . 44 | |
| NC | *5 | %A4s | 10 | 94.5 | 4/Cr | 146 | WCu | 4/11 | | |
| 0.031 | 0.500 | 1.710 | 0.035 | 0.2510 | 17:07" | All S | MOU | 7971 | | |

Kontrola oznak, identifikacije, površine, oblike in dimenzij / Control of marking and identification, surface appearence, shape and dimensional properties/ Prtifung von Kennzeichnung, identifizierung, Oberfišche, Form und Maße:

ASME SA 480 Ed.2015 OK
ASTN A480/A480M-16a OK

SJ ACROM d.p.n Cora Barba (Corta -S-4170 Jerank: Poddiellane; / Works Impedia / Workstadvantero(get)



Date: 10/12/18

sij acroni

izdajateli Certifikata: Originator of Inspection Document: Assisted or Rescholatouring:

10073155-20014470-50671

SU ACRONI, d.e.o. KRT-KAKOVOST Ceela Bense Kishče 44 SI – 4273 Jesenice Sizvenia, EU

Tel.: +386 4 584 10 18 Fax: +386 4 584 10 7; E-Mel: spraed knoop flamme si W: blockwww.acroni.sl

Page 3/3

Opombe / Remarks / Bemerkungen

Potrjujemo da dobavijani izdeliki ustrezajo zahlevaih naročila / We confirm herewith that the delivered products comply with the purchase order / Es wird bestätigt, daß die Erzeugnisse den Bestellenforderungen entsprechen Država porekla = Država izdelave Ialine = Država izdelave slaba - SLOVENIJA - EU / Country of Origin = Country of melt = Country of slab: SLOVENIJA - EU / Herkunftsland = Land der schmelze = Land der Bramme - SLOVENIA - EG

Herturnssand = Land der schnetze = Land der schnetze = Land der schnetze = Cand der sc

auf: http://www.acroni.si/on/data/files/1370588262.odf

Sistem vodenja kakovosti je cartificiran po ISO 9001. Št. Certifikata: 12 100 6200 TMS, Izdajataj; TÜV SÜD Management Service GmbH. / Quality Management System is certified according to ISO 9001. Certificate no. 12 100 6200 TMS, Issued by TÜV SÜD Management Service GmbH. / Qualitätsmanagementsystem zerfiliziert nach ISO 9001. Zerfilikat Nr. 12 100 6200 TMS der TÜV SÜD Management Service GmbH.

DFARS compliant per 252,225,7003 and 252,225,872-1

Medive sevanja: NI RADIOAKTIVNEGA-ONESNAŽENJA / Measuring Radiation: NO RADIOACTIVE CONTAMINATION / messer: KEINE ERHÖHTE RADIOAKTIVITAT

Spektrometerska analiza PMI v skladu API RP 578: OK / Spectrometer Sorting Test PMI according API RP 578: OK / Spektrometer Sortiertest PMI nach API RP 578: OHNE BEANSTANDUNG

Vizualni pregled: OK / Visual Inspection: OK / Sichtprüfung: OHNE BEANSTANDUNG

ELFACRONS date Certa Porba Kidria 44 81-4278 Jasanica Dr. Gorard Ko

Jertin Kidriča 44

Slovenia, EU

RELEASED ZOID -02- 02

| 60 | REFOR | MAT DWG, ADD | REFORMAT DWG, ADD SPECS (ZN D8 1), REF PAR 08-020A | d _D | 10 01 05 |
|------------|-----------|--|---|-------------------------------|------------|
| A | NEW ISSUE | SUE | | SO | 02.05.29 |
| REV | | | DESCRIPTION | ВУ | DATE |
| DESIGN | Z | 100 | DART AFPOSPACE ITD | PACEL | 2 |
| DRAWN | z | CD | HAWKESBURY, ONTARIO, CANADA | FARIO, CANAL | 3 4 |
| CHECKED | (ED | 4 | DRAWING NO. | and had appeared | REV P |
| MFG. APPR. | PPR. | Ba | M303B | | SHEET 1 OF |
| APPROVED | VED | The state of the s | TILE | the particular and the second | SCALE |
| DE APPR | JR. | # | 303 BAR | | NTS |
| DATE | 10.0 | 10 01 05 | COPYRIGHT 8 2002 BY DART AEROSPACE LTD | IRT AEROSPACE | CTD |

PURCHASE MATERIAL: AISI 303SS BAR (NOTE: AISI 304/316 NOT ACCEPTABLE) M3038 THICK WIDTH ASTM A582 SPECIFICATION: PART NUMBER:

WHERE "T.TTT" = THICKNESS IN INCHES AND "WW.WWW" = WIDTH IN INCHES

EG. 0.5" x 3.0" BAR = M303B0.500X03.000

(B)

U

21.0°

0

SPECIFICATION CONTROL DRAWING

00

0

MATERIAL RECEIPT INSPECTION FORM

| MATERIAL: _M3038 DATE: 18/10/ | | 0×3. | PO / BATCH NO .: 1004/17/8/19738 |
|--|-----|------------------|--|
| MATERIAL CERT REC'D: VS QUANTITY RECEIVED: VSt QUANTITY INSPECTED: VSt QUANTITY REJECTED: | | | THICKNESS ORDERED: 1.500" THICKNESS RECEIVED: (.500" SHEET SIZE ORDERED: — SHEET SIZE RECEIVED: — |
| DESCRIPTION | (Ch | CR eck (N) | COMMENTS |
| SURFACE DAMAGE | Y | N | |
| CORRECT FINISH | Y | N | |
| CORROSION | Υ | N | |
| CORRECT GRAIN DIRECTION | 8 | N | |
| CORRECT MATERIAL PER M-DRAWING | (Y) | N | AlTM A MBZ |
| CORRECT THICKNESS | (A) | N | |
| PHOTO REQUIRED | X | 3 | |
| CORRECT REF # TO LINK CERT | W | Ν | HT: 302859 |
| ORRECT MATERIAL IDENTFICATION | (A) | Ν | |
| CORRECT M# ON THE MATERIAL | (Y) | Ν | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Υ | (Z) | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Υ | (2) | |
| CUT SAMPLE PIECE | | | FERIAL AND PREFORM A HARDNESS CHECK. |

| TYPE OF MATERIAL | | | |
|------------------------------|--|--|--|
| SIZE OF TEST SAMPLE | | | |
| HARDNESS / DUROMETER READING | | | |

DUR A

DUR D

WEBSTER

HRB

testers located in the Quality Office

HRC

TYPE OF MATERIAL SIZE OF TEST SAMPLE

| QC 18 INSPECTION | ENGINEERING SIGNOFF (if required) |
|------------------|-----------------------------------|
| INSPECTED BY: | SIGNED OFF BY: |
| DATE: (8/10/14 | DATE: |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in